BFWD MONTHLY OPERATIONS SUMMARY			
	January-21 January-21	December-20	January-20
PRODUCTION:	oundary-21	December-20	odiladi y-20
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,378,007	1,388,748	1,376,519
WELL #6 (EAST)	209,832	270,949	292,254
BFWD TOTAL	1,587,839	1,659,697	1,668,773
PRODUCTION:		, ,	
EAST SECTOR	1,587,839	1,659,697	1,668,773
WEST SECTOR	0	0	0
TRANSFER (E>W)	281,312	323,162	285,898
TRANSFER (TANK-2 - TANK-5)	6,618	29,478	13,837
TRANSFER (TANK-5 - TANK-2)	13,837	4,211	13,837
WATER SUPPLIED TO:			
EAST SECTOR	1,306,527	1,336,535	1,382,875
WEST SECTOR	281,312	323,162	285,898
OPERATING TIMES:			
WELL #2	0	0	0
WELL #4	745	744	742
WELL #6	148	191	209
TOTAL HOURS	893	935	951
GALS / HOUR	1,778	1,776	1,754
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.8	31.1	30.9
WELL #6 AVERAGE GPM	23.6	23.6	23.3
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.04	1.32	0.90
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:		22.22	00.000
STORAGE, T-2	32,887	33,600	33,039
STORAGE, T-4	175,531	169,903	146,034
STORAGE, T-5	180,072	186,224	183,449
LOSS TO WASTE	0	0	33,236
LOSS TO WASTE TOTAL N-C	500 500	500 500	500
CUSTOMER STATUS:	500	500	33,736
EAST TOTAL HOMES	218	218	216
EAST TOTAL HOMES EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	214
WEST TOTAL HOMES	75	75	75
WEST TOTAL HOMES WEST SERVICES IN-USE	75 75	75 75	75 75
TOTAL BFWD SERV IN-USE	296	296	292
CONSUMPTION:			
BFWD NET TOTAL	1,587,339	1,659,197	1,635,037
BFWD PER SERVICE (IN-USE)	5,363	5,605	5,599
BFWD w/o COMMERCIAL ACCTS.	5,308	5,554	5,630
BF INN as % of total BFWD use	1.6%	1.6%	0.0%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	26,000	27,000	0
2) BF APTS	6,000	5,000	8,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spil		65.3
	. 5	,	

BFWD MONTHLY OPERATIONS SUMMARY February-21			
	February-21	January 21	February-20
PRODUCTION:	1 0 to 1 t		1 000 000 7 20
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,248,366	1,378,007	1,291,793
WELL #6 (EAST)	204,443	209,832	313,450
BFWD TOTAL	1,452,809	1,587,839	1,605,243
PRODUCTION:			, ,
EAST SECTOR	1,452,809	1,587,839	1,605,243
WEST SECTOR	0	0	0
TRANSFER (E>W)	267,202	281,312	274,032
TRANSFER (TANK-2 - TANK-5)	6,618	6,618	31,885
TRANSFER (TANK-5 - TANK-2)	13,236	13,837	20,455
WATER SUPPLIED TO:			
EAST SECTOR	1,185,607	1,306,527	1,331,211
WEST SECTOR	267,202	281,312	274,032
OPERATING TIMES:			
WELL #2	0	0	0
WELL #4	669	745	696
WELL #6	145	148	223
TOTAL HOURS	814	893	919
GALS / HOUR	1,784	1,778	1,747
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.1	30.8	31.0
WELL #6 AVERAGE GPM	23.5	23.6	23.4
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.21	1.04	0.73
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	33,919	32,887	32,305
STORAGE, T-4	178,074	175,531	174,049
STORAGE, T-5	178,009	180,072	185,791
LOSS TO BREAKS	0	0	40,910
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	41,410
CUSTOMER STATUS:	240	240	246
EAST TOTAL HOMES EAST COMMERCIAL ACCTS.	218 3	218 3	216 3
EAST COMMERCIAL ACCTS. EAST SERVICES IN-USE	3 218	3 218	3 214
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75 75	75 75	75 75
TOTAL BFWD SERV IN-USE	296	296	292
CONSUMPTION:	200	200	202
BFWD NET TOTAL	1,452,309	1,587,339	1,563,833
BFWD PER SERVICE (IN-USE)	4,906	5,363	5,356
BFWD w/o COMMERCIAL ACCTS.	4,923	5,308	5,380
BF INN as % of total BFWD use	0.3%	1. 6%	0.1%
NOTE: COMMERCIAL ACCTS.	0.073	1.073	5 ,5
1) BF INN	5,000	26,000	1,000
2) BF APTS	5,000	6,000	8,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spill		65.3
		<u>-</u>	00.0

BFWD MONTHLY OPERATIONS SUMMARY			
	March-21		
PROPULATION	March-21	February-21	March-20
PRODUCTION:	0	0	0
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,369,047	1,248,366 204,443	1,377,757
WELL #6 (EAST) BFWD TOTAL	335,288 1,704,335	1,452,809	273,390
PRODUCTION:	1,704,335	1,452,609	1,651,147
LEAST SECTOR	4 704 005	4 450 000	4 054 447
WEST SECTOR	1,704,335	1,452,809	1,651,147
TRANSFER (E>W)	0 326,746	0 267,202	0 297,528
TRANSFER (E>W) TRANSFER (TANK-2 - TANK-5)		·	6,618
TRANSFER (TANK-2 - TANK-3) TRANSFER (TANK-5 - TANK-2)	48,700 30,682	6,618 13,236	24,666
WATER SUPPLIED TO:	30,002	13,230	24,000
EAST SECTOR	1,377,589	1,185,607	1,353,619
WEST SECTOR	326,746	267,202	297,528
OPERATING TIMES:	320,1 1 0	201,202	231,320
WELL #2	0	0	0
WELL #4	737	669	744
WELL #6	239	145	195
TOTAL HOURS	976	814	938
GALS / HOUR	1,746	1,784	1,760
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.0	31.1	30.9
WELL #6 AVERAGE GPM	23.4	23.5	23.4
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.41	1.21	1.25
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	33,816	33,919	31,418
STORAGE, T-4	163,955	178,074	173,882
STORAGE, T-5	180,461	178,009	186,069
LOSS TO BREAKS	95,600	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	96,100	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	214
WEST TOTAL HOMES	75 	75 	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	296	296	292
CONSUMPTION:	4 000 00=	4 450 600	4.050.675
BFWD NET TOTAL	1,608,235	1,452,309	1,650,647
BFWD PER SERVICE (IN-USE)	5,433	4,906	5,653
BFWD w/o COMMERCIAL ACCTS.	5,462	4,923	5,687
BF INN as % of total BFWD use	0.1%	0.3%	0.0%
NOTE: COMMERCIAL ACCTS.	0.000	E 000	0
1) BF INN	2,000	5,000	0
2) BF APTS	6,000	5,000	7,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spill	way	65.3

BFWD MONTHLY OPERATIONS SUMMARY April-21			
	April-21	March-21	April-20
PRODUCTION:	7,0111.21	maron 21	7 (pr. 11 2 0
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,336,792	1,369,047	1,336,327
WELL #6 (EAST)	135,517	335,288	342,458
BFWD TOTAL	1,472,309	1,704,335	1,678,785
PRODUCTION:	.,,	1,101,000	1,010,100
EAST SECTOR	1,472,309	1,704,335	1,678,785
WEST SECTOR	0	0	0
TRANSFER (E>W)	268,142	326,746	289,939
TRANSFER (TANK-2 - TANK-5)	15,901	48,700	6,618
TRANSFER (TANK-5 - TANK-2)	12,032	30,682	20,455
WATER SUPPLIED TO:	. =,00=	33,532	_0,.00
EAST SECTOR	1,204,167	1,377,589	1,388,846
WEST SECTOR	268,142	326,746	289,939
OPERATING TIMES:	_00,17£	520,1°70	
WELL #2	0	0	0
WELL #4	719	737	720
WELL #6	97	239	244
TOTAL HOURS	816	976	964
GALS / HOUR	1,804	1,746	1,741
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.0	31.0	30.9
WELL #6 AVERAGE GPM	23.3	23.4	23.4
WATER QUALITY TESTS:	20.0	2011	
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.36	1.41	1.57
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	33,755	33,816	34,825
STORAGE, T-4	176,951	163,955	178,074
STORAGE, T-5	190,406	180,461	164,157
LOSS TO BREAKS	0	95,600	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	96,100	500
CUSTOMER STATUS:	=	,	
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	214
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	296	296	292
CONSUMPTION:			
BFWD NET TOTAL	1,471,809	1,608,235	1,678,285
BFWD PER SERVICE (IN-USE)	4,972	5,433	5,748
BFWD w/o COMMERCIAL ACCTS.	4,975	5,462	5,776
BF INN as % of total BFWD use	0.5%	0.1%	0.0%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	8,000	2,000	0
2) BF APTS	6,000	6,000	9,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Sp	illway	65.3

BFWD MONTHLY OPERATI	ONS SUMMA	ARY	
	May-21		
	May-21	April-21	May-20
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,368,833	1,336,792	1,377,489
WELL #6 (EAST)	138,465	135,517	408,008
BFWD TOTAL	1,507,298	1,472,309	1,785,497
PRODUCTION:	_,	_,,	_,,
EAST SECTOR	1,507,298	1,472,309	1,785,497
WEST SECTOR	0	0	0
TRANSFER (E>W)	259,796	268,142	305,094
TRANSFER (TANK-2 - TANK-5)	9,216	15,901	41,511
TRANSFER (TANK-5 - TANK-2)	15,040	12,032	21,056
WATER SUPPLIED TO:	13,040	12,002	21,030
	1 247 502	1 204 107	1 400 402
EAST SECTOR	1,247,502	1,204,167	1,408,403
WEST SECTOR OPERATING TIMES:	259,796	268,142	305,094
WELL #2	0	0	0
WELL #4	737	719	742
WELL #6	99	97	290
TOTAL HOURS	836	816	1,032
GALS / HOUR	1,803	1,804	1,800
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.0	31.0	30.9
WELL #6 AVERAGE GPM	23.3	23.3	23.4
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.44	1.36	1.35
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	30,077	33,755	36,681
STORAGE, T-4	165,159	176,951	175,434
STORAGE, T-5	187,350	190,406	165,401
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	216
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	296	296	294
CONSUMPTION:			
BFWD NET TOTAL	1,506,798	1,471,809	1,784,997
BFWD PER SERVICE (IN-USE)	5,091	4,972	6,071
BFWD w/o COMMERCIAL ACCTS.	5,102	4,975	6,110
BF INN as % of total BFWD use	0.5%	0.5%	0.0%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	7,000	8,000	0
2) BF APTS	5,000	6,000	7,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing over spi	llway	65.3

BFWD MONTHLY OPERATIONS SUMMARY June-21			
	June-21	May-21	June 20
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,350,619	1,368,833	1,339,881
WELL #6 (EAST)	284,162	138,465	438,088
BFWD TOTAL	1,634,781	1,507,298	1,777,969
PRODUCTION:			
EAST SECTOR	1,634,781	1,507,298	1,777,969
WEST SECTOR	0	0	0
TRANSFER (E>W)	293,120	259,796	338,840
TRANSFER (TANK-2 - TANK-5)	21,056	9,216	6,618
TRANSFER (TANK-5 - TANK-2)	7,219	15,040	6,618
WATER SUPPLIED TO:	,	,	,
EAST SECTOR	1,341,661	1,247,502	1,439,129
WEST SECTOR	293,120	259,796	338,840
OPERATING TIMES:	, -	,	,- ,-
WELL #2	0	0	0
WELL #4	720	737	721
WELL #6	203	99	312
TOTAL HOURS	923	836	1,033
GALS / HOUR	1,771	1,803	1,721
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.3	31.0	31.0
WELL #6 AVERAGE GPM	23.3	23.3	23.4
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.15	1.44	1.57
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	31,623	30,077	35,579
STORAGE, T-4	153,388	165,159	147,242
STORAGE, T-5	175,306	187,350	177,552
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	218
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	297	296	296
CONSUMPTION:			
BFWD NET TOTAL	1,634,281	1,506,798	1,777,469
BFWD PER SERVICE (IN-USE)	5,503	5,091	6,005
BFWD w/o COMMERCIAL ACCTS.	5,444	5,102	6,027
BF INN as % of total BFWD use	1.7%	0.5%	0.1%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	28,000	7,000	2,000
2) BF APTS	5,000	5,000	8,000
3) BF FIRE STATION	667	0	1,531
STEVENSONS DAM LEVEL:	Flowing Over Spill	way	65.3

BFWD MONTHLY OPERATIONS SUMMARY July-21			
	July-21	June-21	July-20
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,382,139	1,350,619	1,376,939
WELL #6 (EAST)	214,729	284,162	548,208
BFWD TOTAL	1,596,868	1,634,781	1,925,147
PRODUCTION:			
EAST SECTOR	1,596,868	1,634,781	1,925,147
WEST SECTOR	0	0	0
TRANSFER (E>W)	300,894	293,120	404,858
TRANSFER (TANK-2 - TANK-5)	24,012	21,056	18,048
TRANSFER (TANK-5 - TANK-2)	6,016	7,219	6,618
WATER SUPPLIED TO:			
EAST SECTOR	1,295,974	1,341,661	1,520,289
WEST SECTOR	300,894	293,120	404,858
OPERATING TIMES:	·	ŕ	,
WELL #2	0	0	0
WELL #4	741	720	743
WELL #6	153	203	390
TOTAL HOURS	894	923	1,133
GALS / HOUR	1,786	1,771	1,700
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.1	31.3	30.9
WELL #6 AVERAGE GPM	23.4	23.3	23.4
WATER QUALITY TESTS:		ì	
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.58	1.15	1.18
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	29,168	31,623	34,194
STORAGE, T-4	156,688	153,388	158,201
STORAGE, T-5	183,080	175,306	186,360
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	218
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	296	296	296
CONSUMPTION:			
BFWD NET TOTAL	1,596,368	1,634,281	1,924,647
BFWD PER SERVICE (IN-USE)	5,393	5,503	6,502
BFWD w/o COMMERCIAL ACCTS.	5,325	5,444	6,463
BF INN as % of total BFWD use	1.9%	1.7%	1.1%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	30,000	28,000	21,000
2) BF APTS	6,000	5,000	1,000
3) BF FIRE STATION	0	667	0
STEVENSONS DAM LEVEL:	Flowing Over Spill	lway	65.3

BFWD MONTHLY OPERATIONS SUMMARY August-21			
	August-21	July-21	August-20
PRODUCTION:	7.0.90.01 = 1	ou.y = .	7 ta guet 20
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,386,497	1,382,139	1,375,979
WELL #6 (EAST)	239,734	214,729	509,305
BFWD TOTAL	1,626,231	1,596,868	1,885,284
PRODUCTION:			
EAST SECTOR	1,626,231	1,596,868	1,885,284
WEST SECTOR	0	0	0
TRANSFER (E>W)	291,654	300,894	377,344
TRANSFER (TANK-2 - TANK-5)	0	24,012	22,861
TRANSFER (TANK-5 - TANK-2)	4,211	6,016	25,267
WATER SUPPLIED TO:			
EAST SECTOR	1,334,577	1,295,974	1,507,940
WEST SECTOR	291,654	300,894	377,344
OPERATING TIMES:			
WELL #2	0	0	0
WELL #4	743	741	744
WELL #6	171	153	362
TOTAL HOURS	914	894	1,106
GALS / HOUR	1,778	1,786	1,705
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.1	31.1	30.8
WELL #6 AVERAGE GPM	23.4	23.4	23.5
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.20	1.58	1.10
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:	00.404	00.400	00.000
STORAGE, T-2	28,421	29,168	32,029
STORAGE, T-4	151,826	156,688	184,594
STORAGE, T-5 LOSS TO BREAKS	191,561	183,080	182,207 0
LOSS TO BREAKS	0 500	0 500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:	000	000	000
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	218
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	296	296	296
CONSUMPTION:			
BFWD NET TOTAL	1,625,731	1,596,368	1,884,784
BFWD PER SERVICE (IN-USE)	5,492	5,393	6,368
BFWD w/o COMMERCIAL ACCTS.	5,470	5,325	6,262
BF INN as % of total BFWD use	1.2%	1.9%	2.1%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	19,000	30,000	40,000
2) BF APTS	4,000	6,000	10,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	Flowing Over Spil	llway	65.2

BFWD MONTHLY OPERATIONS SUMMARY			
	September-21 September-21	August-21	September-20
PRODUCTION:	September-21	August-21	September-20
WELL #2 (WEST)	0	0	0
WELL #2 (WEST) WELL #4 (EAST)	1,339,721	1,386,497	1,285,808
WELL #4 (EAST) WELL #6 (EAST)	253,519	239,734	293,628
BFWD TOTAL	1,593,240	1,626,231	1,579,436
PRODUCTION:	1,595,240	1,020,231	1,579,430
EAST SECTOR	4 500 040	4 000 004	4 570 400
	1,593,240	1,626,231	1,579,436
WEST SECTOR	0	0 291,654	0
TRANSFER (E>W)	328,070	,	281,554
TRANSFER (TANK-2 - TANK-5)	7,219	0	7,219
TRANSFER (TANK-5 - TANK-2)	7,219	4,211	25,267
WATER SUPPLIED TO:			
EAST SECTOR	1,265,170	1,334,577	1,297,882
WEST SECTOR	328,070	291,654	281,554
OPERATING TIMES:			
WELL #2	0	0	0
WELL #4	721	743	696
WELL #6	180	171	208
TOTAL HOURS	901	914	904
GALS / HOUR	1,769	1,778	1,748
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.0	31.1	30.8
WELL #6 AVERAGE GPM	23.5	23.4	23.5
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.03	1.20	1.00
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	30,448	28,421	32,439
STORAGE, T-4	159,675	151,826	175,527
STORAGE, T-5	180,320	191,561	184,912
LOSS TO BREAKS	0	0	1,000
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:			
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	218
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	296	296	296
CONSUMPTION:			
BFWD NET TOTAL	1,592,740	1,625,731	1,578,936
BFWD PER SERVICE (IN-USE)	5,381	5,492	5,334
BFWD w/o COMMERCIAL ACCTS.	5,361	5,470	5,338
BF INN as % of total BFWD use	1.1%	1.2%	0.3%
NOTE: COMMERCIAL ACCTS.	11170	1 . 4 / 0	3.0 /0
1) BF INN	17,000	19,000	5,000
2) BF APTS	5,000 5,000	4,000	10,000
3) BF FIRE STATION	5,000 0	4,000	0
	·	-	_
STEVENSONS DAM LEVEL:	Flowing Over Spills	way	65.3

BFWD MONTHLY OPERATIONS SUMMARY October-21			
	October-21	September-21	October-20
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,375,212	1,339,721	1,367,794
WELL #6 (EAST)	177,148	253,519	310,645
BFWD TOTAL	1,552,360	1,593,240	1,678,439
PRODUCTION:	-,,	-,,	1,010,100
EAST SECTOR	1,552,360	1,593,240	1,678,439
WEST SECTOR	0	0	0
TRANSFER (E>W)	294,826	328,070	297,991
TRANSFER (TANK-2 - TANK-5)	18,650	7,219	28,275
TRANSFER (TANK-5 - TANK-2)	18,650	7,219	14,438
WATER SUPPLIED TO:	. 0,000	.,	,
EAST SECTOR	1,257,534	1,265,170	1,380,448
WEST SECTOR	294,826	328,070	297,991
OPERATING TIMES:		0_0,0.0	
WELL #2	0	0	0.0
WELL #4	744	721	738
WELL #6	125	180	220
TOTAL HOURS	869	901	958
GALS / HOUR	1,786	1,769	1,751
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	30.8	31.0	30.9
WELL #6 AVERAGE GPM	23.6	23.5	23.5
WATER QUALITY TESTS:	20.0	20.0	20.0
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.93	1.03	1.25
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:	17100	17.55	17.00
STORAGE, T-2	33,600	30,448	35,628
STORAGE, T-4	185,293	159,675	157,619
STORAGE, T-5	176,618	180,320	173,203
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:		200	
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	217	218	218
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75 75	75	75
TOTAL BFWD SERV IN-USE	295	296	296
CONSUMPTION:			
BFWD NET TOTAL	1,551,860	1,592,740	1,677,939
BFWD PER SERVICE (IN-USE)	5,261	5,381	5,669
BFWD w/o COMMERCIAL ACCTS.	5,267	5,361	5,669
BF INN as % of total BFWD use	0.6%	1.1%	0.4%
NOTE: COMMERCIAL ACCTS.			
1) BF INN	10,000	17,000	7,000
2) BF APTS	4,000	5,000	10,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	<u> </u>	J	65.3
OILVEITOOITO DAITI ELVEL.			03.3

BFWD MONTHLY OPERATIONS SUMMARY November-21			
	November-21	October-21	November-20
PRODUCTION:			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,296,282	1,375,212	1,284,045
WELL #6 (EAST)	203,669	177,148	270,092
BFWD TOTAL	1,499,951	1,552,360	1,554,137
PRODUCTION:	, ,	, ,	
EAST SECTOR	1,499,951	1,552,360	1,554,137
WEST SECTOR	0	0	0
TRANSFER (E>W)	275,423	294,826	287,962
TRANSFER (TANK-2 - TANK-5)	13,837	18,650	7,219
TRANSFER (TANK-5 - TANK-2)	13,837	18,650	28,275
WATER SUPPLIED TO:			
EAST SECTOR	1,224,528	1,257,534	1,266,175
WEST SECTOR	275,423	294,826	287,962
OPERATING TIMES:	·	·	İ
WELL #2	0.0	0	0.0
WELL #4	697	744	694
WELL #6	144	125	192
TOTAL HOURS	841	869	886
GALS / HOUR	1,784	1,786	1,754
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.0	30.8	30.8
WELL #6 AVERAGE GPM	23.6	23.6	23.5
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	0.57	0.93	1.27
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	32,500	33,600	32,921
STORAGE, T-4	180,480	185,293	153,929
STORAGE, T-5	181,503	176,618	178,094
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	500	500	500
CUSTOMER STATUS:	0.40	0.10	0.40
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	217 75	217	218
WEST TOTAL HOMES	75 75	75 75	75 75
WEST SERVICES IN-USE	75 295	75 295	75 296
TOTAL BFWD SERV IN-USE CONSUMPTION:	233	49 5	430
BFWD NET TOTAL	1,499,451	1 551 060	1,553,637
BFWD NET TOTAL BFWD PER SERVICE (IN-USE)	1,499,451 5,083	1,551,860 5,261	5,249
BFWD W/O COMMERCIAL ACCTS.	5,063 5,070	5,261 5,267	5,249 5,275
BF INN as % of total BFWD use	0.9%	0.6%	0.1%
NOTE: COMMERCIAL ACCTS.	0.3/0	0.070	U. I /0
1) BF INN	14,000	10,000	2,000
2) BF APTS	5,000	4,000	6,000
3) BF FIRE STATION	0	4,000	0,000
STEVENSONS DAM LEVEL:	U	U	65.3
STEVENSONS DAM LEVEL.			00.3

BFWD MONTHLY OPERATIONS SUMMARY December-21			
	December-21	November-21	December-20
PRODUCTION:	2000		200001
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,279,100	1,284,045	1,388,748
WELL #6 (EAST)	393,041	270,092	270,949
BFWD TOTAL	1,672,141	1,554,137	1,659,697
PRODUCTION:	, ,		
EAST SECTOR	1,672,141	1,554,137	1,659,697
WEST SECTOR	0	0	0
TRANSFER (E>W)	302,632	287,962	323,162
TRANSFER (TANK-2 - TANK-5)	27,073	7,219	29,478
TRANSFER (TANK-5 - TANK-2)	20,455	28,275	4,211
WATER SUPPLIED TO:			
EAST SECTOR	1,369,509	1,266,175	1,336,535
WEST SECTOR	302,632	287,962	323,162
OPERATING TIMES:			
WELL #2	0	0.0	0
WELL #4	688	694	744
WELL #6	278	192	191
TOTAL HOURS	966	886	935
GALS / HOUR	1,730	1,754	1,776
WELL #2 AVERAGE GPM	0.0	0.0	0.0
WELL #4 AVERAGE GPM	31.0	30.8	31.1
WELL #6 AVERAGE GPM	23.6	23.5	23.6
WATER QUALITY TESTS:			
CL2 RATE (p/d)	0.50	0.50	0.50
BFWD FREE CL2 (mg/L)	1.58	1.27	1.32
IND. LAB COL. TEST	PASS	PASS	PASS
NON-CONSUMPTION:			
STORAGE, T-2	34,236	32,921	33,600
STORAGE, T-4	177,229	153,929	169,903
STORAGE, T-5	179,878	178,094	186,224
LOSS TO BREAKS	18,422	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	18,922	500	500
CUSTOMER STATUS:	240	240	240
EAST TOTAL HOMES	218	218	218
EAST COMMERCIAL ACCTS. EAST SERVICES IN-USE	3 217	3 218	3 218
WEST TOTAL HOMES	217 75	218 75	218 75
WEST TOTAL HOMES WEST SERVICES IN-USE	75 75	75 75	75 75
TOTAL BFWD SERV IN-USE	2 95	296	296
CONSUMPTION:	233	230	230
BFWD NET TOTAL	1,653,219	1,553,637	1,659,197
BFWD NET TOTAL BFWD PER SERVICE (IN-USE)	5,604	5,249	5,605
BFWD w/o COMMERCIAL ACCTS.	5,610	5,275	5,554
BF INN as % of total BFWD use	0.4%	0.1%	1. 6 %
NOTE: COMMERCIAL ACCTS.	V. 7 /U	V. 1 /U	1.0 /0
1) BF INN	7,000	2,000	27,000
2) BF APTS	8,000	6,000	5,000
3) BF FIRE STATION	0	0	0
STEVENSONS DAM LEVEL:	, , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , ,	64.7
			V 111