

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>January-20</b>			
	<b>January-20</b>	<b>December 19</b>	<b>January 19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,376,519	1,349,611	1,380,980
WELL #6 (EAST)	292,254	259,253	401,455
<b>BFWD TOTAL</b>	<b>1,668,773</b>	<b>1,608,864</b>	<b>1,782,435</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,668,773	1,608,864	1,782,435
WEST SECTOR	0	0	0
TRANSFER (E>W)	285,898	301,706	354,287
TRANSFER (TANK-2 - TANK-5)	13,837	6,618	43,315
TRANSFER (TANK-5 - TANK-2)	13,837	18,048	43,315
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,382,875</b>	<b>1,307,158</b>	<b>1,428,148</b>
WEST SECTOR	<b>285,898</b>	<b>301,706</b>	<b>354,287</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	742	743	744
WELL #6	209	186	287
TOTAL HOURS	<b>951</b>	<b>929</b>	<b>1,031</b>
GALS / HOUR	<b>1,754</b>	<b>1,731</b>	<b>1,729</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.9</b>	<b>30.3</b>	<b>30.9</b>
WELL #6 AVERAGE GPM	<b>23.3</b>	<b>23.2</b>	<b>23.3</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.20	0.20
BFWD FREE CL2 (mg/L)	0.90	1.01	0.65
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	33,039	31,978	30,637
STORAGE, T-4	146,034	140,862	155,853
STORAGE, T-5	183,449	183,760	190,125
LOSS TO BREAKS	33,236	0	86,630
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>33,736</b>	<b>500</b>	<b>87,130</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	216	216	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	214	214	213
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	74
<b>TOTAL BFWD SERV IN-USE</b>	<b>292</b>	<b>292</b>	<b>290</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,635,037	1,608,364	1,695,305
BFWD PER SERVICE (IN-USE)	5,599	5,508	5,846
BFWD w/o COMMERCIAL ACCTS.	5,630	5,510	5,716
BF INN as % of total BFWD use	<b>0.0%</b>	<b>0.4%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	0	6,000	0
2) BF APTS	8,000	10,000	53,000
3) BF FIRE STATION	0	0	1,756
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.3</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>February-20</b>			
	<b>February-20</b>	<b>January 20</b>	<b>February-19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,291,793	1,376,519	1,249,822
WELL #6 (EAST)	313,450	292,254	233,506
<b>BFWD TOTAL</b>	<b>1,605,243</b>	<b>1,668,773</b>	<b>1,483,328</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,605,243	1,668,773	1,483,328
WEST SECTOR	0	0	0
TRANSFER (E>W)	274,032	285,898	239,544
TRANSFER (TANK-2 - TANK-5)	31,885	13,837	57,152
TRANSFER (TANK-5 - TANK-2)	20,455	13,837	61,333
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,331,211</b>	<b>1,382,875</b>	<b>1,243,784</b>
WEST SECTOR	<b>274,032</b>	<b>285,898</b>	<b>239,544</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	696	742	672
WELL #6	223	209	167
<b>TOTAL HOURS</b>	<b>919</b>	<b>951</b>	<b>839</b>
<b>GALS / HOUR</b>	<b>1,747</b>	<b>1,754</b>	<b>1,768</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>31.0</b>	<b>30.9</b>	<b>31.0</b>
WELL #6 AVERAGE GPM	<b>23.4</b>	<b>23.3</b>	<b>23.3</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.20	0.20
BFWD FREE CL2 (mg/L)	0.73	0.90	1.21
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	32,305	33,039	36,109
STORAGE, T-4	158,802	146,034	163,528
STORAGE, T-5	185,791	183,449	186,646
LOSS TO BREAKS	40,910	33,236	78,208
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>41,410</b>	<b>33,736</b>	<b>78,708</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	216	216	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	214	214	213
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	74
<b>TOTAL BFWD SERV IN-USE</b>	<b>292</b>	<b>292</b>	<b>290</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,563,833	1,635,037	1,404,620
BFWD PER SERVICE (IN-USE)	5,356	5,599	4,844
BFWD w/o COMMERCIAL ACCTS.	5,380	5,630	1,737
BF INN as % of total BFWD use	<b>0.1%</b>	<b>0.0%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	1,000	0	0
2) BF APTS	8,000	8,000	45,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.3</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>March-20</b>			
	<b>March-20</b>	<b>February-20</b>	<b>March-19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,377,757	1,291,793	1,387,276
WELL #6 (EAST)	273,390	313,450	145,435
<b>BFWD TOTAL</b>	<b>1,651,147</b>	<b>1,605,243</b>	<b>1,532,711</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,651,147	1,605,243	1,532,711
WEST SECTOR	0	0	0
TRANSFER (E>W)	297,528	274,032	269,877
TRANSFER (TANK-2 - TANK-5)	6,618	31,885	1,805
TRANSFER (TANK-5 - TANK-2)	24,666	20,455	75,200
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,353,619</b>	<b>1,331,211</b>	<b>1,262,834</b>
WEST SECTOR	<b>297,528</b>	<b>274,032</b>	<b>269,877</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	744	696	744
WELL #6	195	223	103
<b>TOTAL HOURS</b>	<b>938</b>	<b>919</b>	<b>847</b>
<b>GALS / HOUR</b>	<b>1,760</b>	<b>1,747</b>	<b>1,809</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.9</b>	<b>31.0</b>	<b>31.1</b>
WELL #6 AVERAGE GPM	<b>23.4</b>	<b>23.4</b>	<b>23.4</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.20	0.20
BFWD FREE CL2 (mg/L)	1.25	0.73	0.93
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	31,418	32,305	28,888
STORAGE, T-4	173,882	174,049	175,182
STORAGE, T-5	186,069	185,791	146,538
LOSS TO BREAKS	0	40,910	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>41,410</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	216	216	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	214	214	213
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	74
<b>TOTAL BFWD SERV IN-USE</b>	<b>292</b>	<b>292</b>	<b>290</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,650,647	1,563,833	1,532,211
BFWD PER SERVICE (IN-USE)	5,653	5,356	5,283
BFWD w/o COMMERCIAL ACCTS.	5,687	5,380	5,220
BF INN as % of total BFWD use	<b>0.0%</b>	<b>0.1%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	0	1,000	0
2) BF APTS	7,000	8,000	34,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.3</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>April-20</b>			
	<b>April-20</b>	<b>March-20</b>	<b>April-19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,336,327	1,377,757	1,338,553
WELL #6 (EAST)	342,458	273,390	257,284
<b>BFWD TOTAL</b>	<b>1,678,785</b>	<b>1,651,147</b>	<b>1,595,837</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,678,785	1,651,147	1,595,837
WEST SECTOR	0	0	0
TRANSFER (E>W)	289,939	297,528	259,333
TRANSFER (TANK-2 - TANK-5)	6,618	6,618	62,567
TRANSFER (TANK-5 - TANK-2)	20,455	24,666	13,837
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,388,846</b>	<b>1,353,619</b>	<b>1,336,504</b>
WEST SECTOR	<b>289,939</b>	<b>297,528</b>	<b>259,333</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	720	744	719
WELL #6	244	195	184
TOTAL HOURS	<b>964</b>	<b>938</b>	<b>902</b>
GALS / HOUR	<b>1,741</b>	<b>1,760</b>	<b>1,768</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.9</b>	<b>30.9</b>	<b>31.0</b>
WELL #6 AVERAGE GPM	<b>23.4</b>	<b>23.4</b>	<b>23.4</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.20	0.20
BFWD FREE CL2 (mg/L)	1.57	1.25	1.01
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	34,825	31,418	34,351
STORAGE, T-4	178,074	173,882	173,391
STORAGE, T-5	164,157	186,069	175,306
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	216	216	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	214	214	215
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	74
TOTAL BFWD SERV IN-USE	<b>292</b>	<b>292</b>	<b>292</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,678,285	1,650,647	1,595,337
BFWD PER SERVICE (IN-USE)	5,748	5,653	5,436
BFWD w/o COMMERCIAL ACCTS.	5,776	5,687	5,427
BF INN as % of total BFWD use	<b>0.0%</b>	<b>0.0%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	0	0	0
2) BF APTS	9,000	7,000	27,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.3</b>

**BFWD MONTHLY OPERATIONS SUMMARY**

May-20

	May-20	April-20	May-19
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,377,489	1,336,327	1,382,756
WELL #6 (EAST)	408,008	342,458	177,183
<b>BFWD TOTAL</b>	<b>1,785,497</b>	<b>1,678,785</b>	<b>1,559,939</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,785,497	1,678,785	1,559,939
WEST SECTOR	0	0	0
TRANSFER (E>W)	305,094	289,939	244,986
TRANSFER (TANK-2 - TANK-5)	41,511	6,618	7,219
TRANSFER (TANK-5 - TANK-2)	21,056	20,455	7,219
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,480,403</b>	<b>1,388,846</b>	<b>1,314,953</b>
WEST SECTOR	<b>305,094</b>	<b>289,939</b>	<b>244,986</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	742	720	741
WELL #6	290	244	126
<b>TOTAL HOURS</b>	<b>1,032</b>	<b>964</b>	<b>867</b>
<b>GALS / HOUR</b>	<b>1,730</b>	<b>1,741</b>	<b>1,800</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.9</b>	<b>30.9</b>	<b>31.1</b>
WELL #6 AVERAGE GPM	<b>23.4</b>	<b>23.4</b>	<b>23.4</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.20	0.20
BFWD FREE CL2 (mg/L)	1.35	1.57	0.85
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	36,681	34,825	34,211
STORAGE, T-4	175,434	178,074	151,739
STORAGE, T-5	165,401	164,157	173,300
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	216	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	216	214	215
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>294</b>	<b>292</b>	<b>293</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,784,997	1,678,285	1,559,430
BFWD PER SERVICE (IN-USE)	6,071	5,748	5,322
BFWD w/o COMMERCIAL ACCTS.	6,110	5,776	5,284
BF INN as % of total BFWD use	<b>0.0%</b>	<b>0.0%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	0	0	0
2) BF APTS	7,000	9,000	27,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing over spillway</b>		<b>65.3</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
	<b>June-20</b>		
	<b>June-20</b>	<b>May-20</b>	<b>June 19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,339,881	1,377,489	1,351,010
WELL #6 (EAST)	438,088	408,008	240,755
<b>BFWD TOTAL</b>	<b>1,777,969</b>	<b>1,785,497</b>	<b>1,591,765</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,777,969	1,785,497	1,591,765
WEST SECTOR	0	0	0
TRANSFER (E>W)	338,840	305,094	294,452
TRANSFER (TANK-2 - TANK-5)	6,618	41,511	13,837
TRANSFER (TANK-5 - TANK-2)	6,618	21,056	0
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,439,129</b>	<b>1,408,403</b>	<b>1,297,313</b>
WEST SECTOR	<b>338,840</b>	<b>305,094</b>	<b>294,452</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	721	742	721
WELL #6	312	290	171
<b>TOTAL HOURS</b>	<b>1,033</b>	<b>1,032</b>	<b>893</b>
<b>GALS / HOUR</b>	<b>1,721</b>	<b>1,800</b>	<b>1,783</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>31.0</b>	<b>30.9</b>	<b>31.2</b>
WELL #6 AVERAGE GPM	<b>23.4</b>	<b>23.4</b>	<b>23.4</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.20	0.20
BFWD FREE CL2 (mg/L)	1.57	1.35	1.20
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	35,579	36,681	33,667
STORAGE, T-4	147,242	175,434	147,242
STORAGE, T-5	177,552	165,401	179,517
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	216	216
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>296</b>	<b>294</b>	<b>294</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,777,469	1,784,997	1,591,265
BFWD PER SERVICE (IN-USE)	6,005	6,071	5,412
BFWD w/o COMMERCIAL ACCTS.	6,027	6,110	5,410
BF INN as % of total BFWD use	<b>0.1%</b>	<b>0.0%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	2,000	0	0
2) BF APTS	8,000	7,000	17,000
3) BF FIRE STATION	1,531	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.3</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>July-20</b>			
	<b>July-20</b>	<b>June 20</b>	<b>July-19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,376,939	1,339,881	1,388,138
WELL #6 (EAST)	548,208	438,088	237,391
<b>BFWD TOTAL</b>	<b>1,925,147</b>	<b>1,777,969</b>	<b>1,625,529</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,925,147	1,777,969	1,625,529
WEST SECTOR	0	0	0
TRANSFER (E>W)	404,858	338,840	303,111
TRANSFER (TANK-2 - TANK-5)	18,048	6,618	15,784
TRANSFER (TANK-5 - TANK-2)	6,618	6,618	31,284
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,520,289</b>	<b>1,439,129</b>	<b>1,322,418</b>
WEST SECTOR	<b>404,858</b>	<b>338,840</b>	<b>303,111</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	743	721	742
WELL #6	390	312	168
TOTAL HOURS	<b>1,133</b>	<b>1,033</b>	910
GALS / HOUR	<b>1,700</b>	<b>1,721</b>	<b>1,786</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.9</b>	<b>31.0</b>	<b>31.2</b>
WELL #6 AVERAGE GPM	<b>23.4</b>	<b>23.4</b>	<b>23.6</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.50	0.20	0.20
BFWD FREE CL2 (mg/L)	1.18	1.57	0.88
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	34,194	35,579	33,158
STORAGE, T-4	158,201	147,242	162,102
STORAGE, T-5	186,360	177,552	183,022
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
TOTAL N-C	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	216	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	216
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
TOTAL BFWD SERV IN-USE	<b>296</b>	<b>296</b>	<b>294</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,924,647	1,777,469	1,625,029
BFWD PER SERVICE (IN-USE)	6,502	6,005	5,527
BFWD w/o COMMERCIAL ACCTS.	6,463	6,027	5,526
BF INN as % of total BFWD use	<b>1.1%</b>	<b>0.1%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	21,000	2,000	0
2) BF APTS	10,000	8,000	17,000
3) BF FIRE STATION	0	1,531	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.3</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>August-20</b>			
	<b>August-20</b>	<b>July-20</b>	<b>August-19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,375,979	1,376,939	1,391,557
WELL #6 (EAST)	509,305	548,208	272,634
<b>BFWD TOTAL</b>	<b>1,885,284</b>	<b>1,925,147</b>	<b>1,664,191</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,885,284	1,925,147	1,664,191
WEST SECTOR	0	0	0
TRANSFER (E>W)	377,344	404,858	292,575
TRANSFER (TANK-2 - TANK-5)	22,861	18,048	7,219
TRANSFER (TANK-5 - TANK-2)	25,267	6,618	9,024
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,507,940</b>	<b>1,520,289</b>	<b>1,371,616</b>
WEST SECTOR	<b>377,344</b>	<b>404,858</b>	<b>292,575</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	744	743	742
WELL #6	362	390	194
TOTAL HOURS	<b>1,106</b>	<b>1,133</b>	<b>936</b>
GALS / HOUR	<b>1,705</b>	<b>1,700</b>	<b>1,779</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.8</b>	<b>30.9</b>	<b>31.3</b>
WELL #6 AVERAGE GPM	<b>23.5</b>	<b>23.4</b>	<b>23.4</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.20	0.50	0.20
BFWD FREE CL2 (mg/L)	1.10	1.18	1.15
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	32,029	34,194	34,109
STORAGE, T-4	184,594	158,201	161,462
STORAGE, T-5	182,207	186,360	174,309
LOSS TO BREAKS	0	0	62,567
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>63,067</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	216
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>296</b>	<b>296</b>	<b>294</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,884,784	1,924,647	1,601,124
BFWD PER SERVICE (IN-USE)	6,368	6,502	5,446
BFWD w/o COMMERCIAL ACCTS.	6,262	6,463	5,423
BF INN as % of total BFWD use	<b>2.1%</b>	<b>1.1%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	40,000	21,000	0
2) BF APTS	10,000	1,000	23,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>65.2</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>September-20</b>			
	<b>September-20</b>	<b>August-20</b>	<b>September-19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,285,808	1,375,979	1,336,248
WELL #6 (EAST)	293,628	509,305	220,975
<b>BFWD TOTAL</b>	<b>1,579,436</b>	<b>1,885,284</b>	<b>1,557,223</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,579,436	1,885,284	1,557,223
WEST SECTOR	0	0	0
TRANSFER (E>W)	281,554	377,344	291,709
TRANSFER (TANK-2 - TANK-5)	7,219	22,861	13,837
TRANSFER (TANK-5 - TANK-2)	25,267	25,267	6,618
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,297,882</b>	<b>1,507,940</b>	<b>1,265,514</b>
WEST SECTOR	<b>281,554</b>	<b>377,344</b>	<b>291,709</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0
WELL #4	696	744	720
WELL #6	208	362	157
<b>TOTAL HOURS</b>	<b>904</b>	<b>1,106</b>	<b>876</b>
<b>GALS / HOUR</b>	<b>1,748</b>	<b>1,705</b>	<b>1,777</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.8</b>	<b>30.8</b>	<b>30.9</b>
WELL #6 AVERAGE GPM	<b>23.5</b>	<b>23.5</b>	<b>23.5</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.00	1.10	1.36
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	32,439	32,029	32,588
STORAGE, T-4	175,527	184,594	157,389
STORAGE, T-5	184,912	182,207	172,920
LOSS TO BREAKS	1,000	0	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	215
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>296</b>	<b>296</b>	<b>293</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,578,936	1,884,784	1,556,723
BFWD PER SERVICE (IN-USE)	5,334	6,368	5,313
BFWD w/o COMMERCIAL ACCTS.	5,338	6,262	5,285
BF INN as % of total BFWD use	<b>0.3%</b>	<b>2.1%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	5,000	40,000	0
2) BF APTS	10,000	10,000	35,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>	<b>Flowing Over Spillway</b>		<b>64.0</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>October-20</b>			
	<b>October-20</b>	<b>September-20</b>	<b>October - 19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,367,794	1,285,808	1,385,207
WELL #6 (EAST)	310,645	293,628	227,317
<b>BFWD TOTAL</b>	<b>1,678,439</b>	<b>1,579,436</b>	<b>1,612,524</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,678,439	1,579,436	1,612,524
WEST SECTOR	0	0	0
TRANSFER (E>W)	297,991	281,554	300,967
TRANSFER (TANK-2 - TANK-5)	28,275	7,219	31,885
TRANSFER (TANK-5 - TANK-2)	14,438	25,267	13,837
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,380,448</b>	<b>1,297,882</b>	<b>1,311,557</b>
WEST SECTOR	<b>297,991</b>	<b>281,554</b>	<b>300,967</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0	0.0
WELL #4	738	696	744
WELL #6	220	208	161
<b>TOTAL HOURS</b>	<b>958</b>	<b>904</b>	<b>905</b>
<b>GALS / HOUR</b>	<b>1,751</b>	<b>1,748</b>	<b>1,782</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.9</b>	<b>30.8</b>	<b>31.0</b>
WELL #6 AVERAGE GPM	<b>23.5</b>	<b>23.5</b>	<b>23.5</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.25	1.00	1.12
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	35,628	32,439	32,207
STORAGE, T-4	157,619	175,527	157,619
STORAGE, T-5	173,203	184,912	186,709
LOSS TO BREAKS	0	1,000	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	214
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>296</b>	<b>296</b>	<b>292</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,677,939	1,578,936	1,612,024
BFWD PER SERVICE (IN-USE)	5,669	5,334	5,521
BFWD w/o COMMERCIAL ACCTS.	5,669	5,338	5,543
BF INN as % of total BFWD use	<b>0.4%</b>	<b>0.3%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	7,000	5,000	0
2) BF APTS	10,000	10,000	10,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>			<b>63.0</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>November-20</b>			
	<b>November-20</b>	<b>October-20</b>	<b>November 19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,284,045	1,367,794	1,339,420
WELL #6 (EAST)	270,092	310,645	133,634
<b>BFWD TOTAL</b>	<b>1,554,137</b>	<b>1,678,439</b>	<b>1,473,054</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,554,137	1,678,439	1,473,054
WEST SECTOR	0	0	0
TRANSFER (E>W)	287,962	297,991	218,496
TRANSFER (TANK-2 - TANK-5)	7,219	28,275	12,032
TRANSFER (TANK-5 - TANK-2)	28,275	14,438	0
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,266,175</b>	<b>1,380,448</b>	<b>1,254,558</b>
WEST SECTOR	<b>287,962</b>	<b>297,991</b>	<b>218,496</b>
<b>OPERATING TIMES:</b>			
WELL #2	0.0	0.0	0.0
WELL #4	694	738	707
WELL #6	192	220	94
<b>TOTAL HOURS</b>	<b>886</b>	<b>958</b>	<b>801</b>
<b>GALS / HOUR</b>	<b>1,754</b>	<b>1,751</b>	<b>1,839</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>30.8</b>	<b>30.9</b>	<b>31.6</b>
WELL #6 AVERAGE GPM	<b>23.5</b>	<b>23.5</b>	<b>23.7</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.27	1.25	1.16
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	32,921	35,628	31,641
STORAGE, T-4	153,929	157,619	167,445
STORAGE, T-5	178,094	173,203	189,303
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	214
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>296</b>	<b>296</b>	<b>292</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,553,637	1,677,939	1,472,554
BFWD PER SERVICE (IN-USE)	5,249	5,669	5,043
BFWD w/o COMMERCIAL ACCTS.	5,275	5,669	5,068
BF INN as % of total BFWD use	<b>0.1%</b>	<b>0.4%</b>	<b>0.0%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	2,000	7,000	0
2) BF APTS	6,000	10,000	8,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>			<b>63.0</b>

<b>BFWD MONTHLY OPERATIONS SUMMARY</b>			
<b>December-20</b>			
	<b>December-20</b>	<b>November-20</b>	<b>December 19</b>
<b>PRODUCTION:</b>			
WELL #2 (WEST)	0	0	0
WELL #4 (EAST)	1,388,748	1,284,045	1,349,611
WELL #6 (EAST)	270,949	270,092	259,253
<b>BFWD TOTAL</b>	<b>1,659,697</b>	<b>1,554,137</b>	<b>1,608,864</b>
<b>PRODUCTION:</b>			
EAST SECTOR	1,659,697	1,554,137	1,608,864
WEST SECTOR	0	0	0
TRANSFER (E>W)	323,162	287,962	301,706
TRANSFER (TANK-2 - TANK-5)	29,478	7,219	6,618
TRANSFER (TANK-5 - TANK-2)	4,211	28,275	18,048
<b>WATER SUPPLIED TO:</b>			
EAST SECTOR	<b>1,336,535</b>	<b>1,266,175</b>	<b>1,307,158</b>
WEST SECTOR	<b>323,162</b>	<b>287,962</b>	<b>301,706</b>
<b>OPERATING TIMES:</b>			
WELL #2	0	0.0	0
WELL #4	744	694	743
WELL #6	191	192	186
<b>TOTAL HOURS</b>	<b>935</b>	<b>886</b>	<b>929</b>
<b>GALS / HOUR</b>	<b>1,776</b>	<b>1,754</b>	<b>1,731</b>
WELL #2 AVERAGE GPM	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>
WELL #4 AVERAGE GPM	<b>31.1</b>	<b>30.8</b>	<b>30.3</b>
WELL #6 AVERAGE GPM	<b>23.6</b>	<b>23.5</b>	<b>23.2</b>
<b>WATER QUALITY TESTS:</b>			
CL2 RATE (p/d)	0.50	0.50	0.20
BFWD FREE CL2 (mg/L)	1.32	1.27	1.01
IND. LAB COL. TEST	<b>PASS</b>	<b>PASS</b>	<b>PASS</b>
<b>NON-CONSUMPTION:</b>			
STORAGE, T-2	33,600	32,921	31,978
STORAGE, T-4	169,903	153,929	140,862
STORAGE, T-5	186,224	178,094	183,760
LOSS TO BREAKS	0	0	0
LOSS TO WASTE	500	500	500
<b>TOTAL N-C</b>	<b>500</b>	<b>500</b>	<b>500</b>
<b>CUSTOMER STATUS:</b>			
EAST TOTAL HOMES	218	218	216
EAST COMMERCIAL ACCTS.	3	3	3
EAST SERVICES IN-USE	218	218	214
WEST TOTAL HOMES	75	75	75
WEST SERVICES IN-USE	75	75	75
<b>TOTAL BFWD SERV IN-USE</b>	<b>296</b>	<b>296</b>	<b>292</b>
<b>CONSUMPTION:</b>			
BFWD NET TOTAL	1,659,197	1,553,637	1,608,364
BFWD PER SERVICE (IN-USE)	5,605	5,249	5,508
BFWD w/o COMMERCIAL ACCTS.	5,554	5,275	5,510
BF INN as % of total BFWD use	<b>1.6%</b>	<b>0.1%</b>	<b>0.4%</b>
<b>NOTE: COMMERCIAL ACCTS.</b>			
1) BF INN	27,000	2,000	6,000
2) BF APTS	5,000	6,000	10,000
3) BF FIRE STATION	0	0	0
<b>STEVENSONS DAM LEVEL:</b>			<b>62.0</b>